# Ultrasound Reimagined

# HERA I10



Samsung Medison, an affiliate of Samsung Electronics, is a global medical company founded in 1985. With a mission to bring health and well-being to people's lives, the company manufactures diagnostic ultrasound systems around the world across various medical fields. Samsung Medison has commercialized the Live 3D technology in 2001 and since being part of Samsung Electronics in 2011, it is integrating IT, image processing, semiconductor and communication technologies into ultrasound devices for efficient and confident diagnosis.

- \* This product, features, options and transducers are not commercially available in all countries.
- \* Due to regulatory reasons their future availability cannot be guaranteed. Please contact your local sales network for further details.
- $\,^\star$  This product is a medical device, please read the user manual carefully before use.
- \* S-Vue Transducer™ is the name of Samsung's advanced transducer technology.
- \* The Built-in Chair (WMH152) displayed with HERA I10 is an independent product designed to be compatible with HERA I10.
- \* All clinical images on this catalog are acquired by the HERA W10 ultrasound system.
- \*13.2% decreased muscle activity for ultrasound scan task and 82.3% less peak pulling force for vaginal scan setting are result of a study conducted by collaboration between Samsung Medison and Prof. Yong-Ku Kong, Department of Industrial Engineering, Sungkyunkwan University.
- \* 52.5% reduced wrist burden for using transducer is a result of an experiment conducted at DFx Group of Global Technology Center, Samsung Electronics.



Scan code or visit
www.samsunghealthcare.com
to learn more

#### SAMSUNG MEDISON CO., LTD.

© 2020 Samsung Medison All Rights Reserved.

Samsung Medison reserves the right to modify the design, packaging, specifications, and features shown herein, without prior notice or obligation.




# **Ultrasound Reimagined**

HERA, an acronym stands for Hyper-aperture and Enhanced Reconstruction Architecture, is Samsung's new preeminent ultrasound platform committed to delivering astonishing images and state-of-the-art ergonomics with simple yet ingenious look for the satisfaction in medical care.

With the introduction of the HERA I10, ultrasound hasn't just been redesigned, it has been reimagined. With input from clinicians and patients, HERA I10 transforms and elevates the ultrasound experience from each user's perspective. A new form factor, a combination ultrasound system with Built-in Chair, allows for a more comfortable environment with refined imaging technologies for increased diagnostic confidence.





### REDEFINED IMAGING TECHNOLOGIES POWERED BY Crystal Architecture™

Crystal Architecture™, an imaging architecture combining CrystalBeam™ and CrystalLive™, while based upon S-Vue Transdcuer™, produces crystal clear and uniform images. CrystalBeam™ is a new beamforming technology beneficial in delivering high-quality image resolution and increased uniformity of images. CrystalLive™ is Samsung's sophisticated ultrasound imaging engine with enhanced 2D image processing, 3D rendering and color signal processing, to offer outstanding image performance and efficient workflow during complex cases.




X10 Data Transfer Rate \* for fast frame rates



**Processing Power \*** for high-quality images



**GPU Memory \*** for fast rendering



**Crystal Architecture**™

<sup>\*</sup> Compared to the Samsung WS80A


# **Sophisticated 2D Images** Processed by CrystalLive<sup>™</sup>

CrystalLive<sup>™</sup> helps you to make more confident diagnoses with fundamental 2D images. Some major advantages of 2D images include shadow-suppressed images, lessened halo artifacts, and mitigated blurred area. ShadowHDR<sup>™</sup> is a key feature that shows shadowy areas, making it especially applicable for use in highly attenuated regions, such as fetal head or spine.

#### ShadowHDR<sup>™</sup>

ShadowHDR™ selectively applies high-frequency and low-frequency of the ultrasound to identify shadowy areas such as fetal head or spine where attenuation occurs.







Fetal brain

#### ClearVision

ClearVision provides clearer tissue boundaries using the noise reduction filter and generates sharp 2D images. It reduces halo artifact that occurs when the tissue contour is enhanced, and removes noises on the tissue boundaries.








Fetal heart

**HQ-Vision**<sup>™</sup>

HQ-Vision™ provides clearer images by mitigating the characteristics of ultrasound images that are slightly blurred than the actual vision.







Fetal spine

## **Realistic Description of 3D/4D Performance**

CrystalLive<sup>™</sup> in 3D/4D provides users with more realistic and high-resolution images. It outdoes conventional 3D imaging technologies in terms of viewing small parts and lighting effects. In addition, you are able to see 3D anatomy with more realistic depth perception, and can visualize the internal and external structures at once.

HDVI<sup>™</sup> 2.0



HDVI<sup>TM</sup> is a volume rendering technology that improves visualization of edges and small structures in volume data. Upgraded marginal expression and image saturation expresses the very details from angle to shadow of the fetus.





Fetal face with 3D

Fetal spine with 3D

#### RealisticVue<sup>™</sup>\*



RealisticVue™ displays high resolution 3D anatomy with exceptional detail and realistic depth perception. User selectable light source direction creates intricately graduated shadows for better defined anatomical structures.






Fetal face with Realisticy

Fetal foot with RealisticVue™

CrystalVue<sup>™</sup>\*



CrystalVue™ is an advanced volume rendering technology that enhances visualization of both internal and external structures in a single rendered image using a combination of intensity, gradient and position.





\* Optional Extra Fetal spine with CrystalVue™

Fetal profile with CrystalVue™

04

# **Detailed Expression of Blood Flow Dynamics**


With the addition of CrystalLive, color performance and sensitivity have been improved to help clinicians more clearly visualize blood flow hemodynamics. New color signal processing allows for precise detection of peripheral blood vessels, microcirculatory blood flows, and volumes of slow blood flows.

S-Flow<sup>TM</sup>

S-Flow™ is a directional power Doppler technology, which helps in diagnosis of complex forms of blood flow.









Fetal circulation with S-Flow<sup>™</sup>

MV-Flow<sup>TM</sup>\*

MV-Flow™ offers a novel alternative to power Doppler for visualizing slow flow of microvascularized structures. High frame rates and advanced filtering enable MV-Flow™ to provide a detailed view of blood flow in relation to surrounding tissue or pathology with enhanced spatial resolution.





Placenta with MV-Flow™



BPD with MV-Flow™

LumiFlow<sup>™</sup>\*

LumiFlow™ is a 3D effect on Color Doppler, which helps to understand the structure of blood flow and small vessels intuitively.



\* Optional Extra



S-Flow™ with LumiFlow™ (Color cord)




MV-Flow™ with LumiFlow™ (Fetal brain)




Fetal biometry estimation with BiometryAssist™

A semi-automatic technology for biometric measurement, BiometryAssist™, enables users to measure the growth of the fetus quickly while maintaining exam consistency.



Fetal brain measurement with 5D CNS+™ \*

5D CNS+™ uses intelligent navigation to provide 6 measurements from 3 transverse views of the fetal brain to enhance measurement reproducibility and streamlined workflow




Fetal weight estimation with 5D Limb Vol.™ \*

5D Limb Vol.™ is a semi-automated tool to quickly and accurately measure upper arm or thigh volumes from 3 simple seed points on a single volume data set.



#### MDI+ \*

MPI+ is able to semi-automatically measure LV MPI and RV MPI, providing a high reproducibility. After acquiring Inflow/ Outflow doppler, RV MPI proceeds alignment by utilizing synchronized signals of the heartrate and valve movement.



#### Breast with WideScreen

WideScreen provides approximately 23% more lateral viewing information compared to the standard view on HERA I10, allowing ultrasonic examination with wider view at a glance.



Fetal hand with AmbientLight

Creating intricately graduated shades, AmbientLight improves depth expression of the surface. This 3D rendering feature is especially useful to see fetal face or hands in detail.





#### **Safe & Comfortable Position Change**

When your patients walk into the exam room, they will see a warm and inviting environment with HERA I10. Help your patients gently ease into the ultrasound exam in a relaxing and comforting way. The powered, adjustable Builtin Chair has four programmable positions to help patients safely and comfortably move into the optimal position needed to capture the necessary images to provide a confident diagnosis. Take your patient satisfaction to a new level by elevating your ultrasound experience with HERA I10.



**Start Position** 











**Full Flat Position Lithotomy Position** 



#### **Clean & Clutter-free Environment**

The Paper Roll Hanger provides a convenient and easy way to maintain a clean and safe environment. The Transducer Station sustains the cable to not reach the patient's body. The ergonomic structure satisfies the patients to experience ultrasound exams in a clean and relaxing atmosphere.



Paper Roll Hanger





Transducer Cable Support



Stirrups for Foot Placement (Lithotomy Position)




Transducer Cable Management

Foot Controller\*

# Ergonomic Comfort for healthcare professionals With the HERA I10, healthcare professionals may experience less muscle strain and increased user satisfaction while scanning. Each component of the HERA I10 implements our philosophy: deliver ergonomic comfort and help users stay healthy.


#### **Ample Leg Room & Relieved Muscle Strain**

The conventional location of the system electronics is located at the backside of the Built-in Chair to offer plenty of leg room for the examiner. The Transducer Cable helps decrease muscle strain, reduces peak pulling force and wrist burden. The cable is coming from a higher position instead of a lower position like in conventional system, thus making the transducer feel lighter in operation.



#### **HERA I10 Dimensional Information**

Maximum Size: Length 7.5ft (230cm) x Width 6ft (183cm) x Height 5.7ft (175cm)



#### **Room Layout 1** 11.8 ft x 11.8 ft



**Room Layout 2** 11.8 ft x 10.2 ft



Fully automatic chair movement, wheel chair accessible seat height








#### SonoSync<sup>TM</sup> \*

#### for real-time image sharing solution

SonoSync™ is a real-time image sharing solution that allows collaborative communication for care guide and training between doctors and sonographers. In addition, voice chatting and real-time marking function are provided for efficient communication, and the MultiVue function is included to monitor multiple ultrasound images on a single screen.

\* SonoSync™ is an image sharing solution, not a diagnostic solution.



# **QuickPreset** for easy transducer preset

With one touch, the user can select the most common transducer and preset combinations. QuickPreset increases efficiency to make a full day of scanning simple and easy.



# **Touch Customization** for your preferences

A customizable touchscreen interface that allows the user to move frequently used functions to the first page, keeping the focus on the patient instead of the system.



# **Contextual Button** for your convenient access

Depending on the user's choice of ultrasonic inspection items, the required diagnostic functions may be assigned to the control panel buttons to reduce the hassle of menu selection.

13

12

<sup>\*</sup> Optional Extra

# COMPREHENSIVE SELECTION OF TRANSDUCERS

#### Volume Transducers



**CV1-8A**Abdomen, obstetrics, gynecology



**EV3-10B**Obstetrics, gynecology, urology

#### Convex Array Transducers



**CA1-7A**Abdomen, obstetrics, gynecology, contrast



**CA3-10A**Abdomen, obstetrics, gynecology



CA2-9A Abdomen, obstetrics, gynecology



**CF4-9**Pediatric, vascular

#### Linear Array Transducers



**L3-12A** Small parts, vascular, musculoskeletal



LA2-9A Small parts, vascular, musculoskeletal

# **Endocavity Transducers**



**EA2-11AR\***Obstetrics, gynecology, urology



**EA2-11AV\***Obstetrics, gynecology, urology



**EA2-11B**Obstetrics, gynecology, urology



Obstetrics, gynecology, urology

#### Phased Array Transducers



PA4-12B Cardiac, pediatric



PM1-6A Cardiac, TCD, abdomen



**PA3-8B**Cardiac, pediatric, abdomen

#### \* Ergonomic Transducer (EA2-11AR, EA2-11AV)

The new endocavity transducer supports natural grip by moving the max width point to a more forward position and also increased the length of the grip to allow balanced weight distribution.

## Secure your care

Samsung Healthcare Cybersecurity

#### Bringing peace of mind to your hospital and patients

To address this emerging need for cybersecurity, Samsung provides a solution to support our customers by offering the tools to protect against cyberthreats that may compromise invaluable patient data and ultimately degrade the quality of care. Samsung's Cybersecurity Solution strives to abide by the CIA triad (Confidentiality, Integrity, and Availability) and takes a comprehensive approach to providing impeccable protection with the following pillars: Intrusion prevention, Access control, and Data protection



#### Intrusion prevention

Tools for protecting against cyber threats from external attacks

- Security tools (Anti-virus & Firewall)
- Secured operating system



#### Access control

Strengthened surveillance for tracking the access of patient information

- Account management
- Enchanced audit trail



#### **Data protection**

Encryption functions for safeguarding data whether at-rest or in-transit

- Data encryption
- Transmission security

14 15